# Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
D. Baltimore
D. Branton
J. Cairns
C. R. Cantor
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
T. Staehelin
G. M. Tomkins
P. M. B. Walker

UNIVERSITY OF HAWAII LIBRARY
LIBRARY USE ONLY

VOLUME 69
14 August 1972 to 28 August 1972

ACADEMIC PRESS
LONDON and NEW YORK

H 301
J73

Copyright © 1972, by Academic Press Inc. (London) Ltd.
ALL RIGHTS RESERVED
No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

# CONTENTS OF VOLUME 69

## Number 1, 14 August 1972


Daniell, E., Roberts, R. and Abelson, J., Mutations in the Lactose Operon Caused by Bacteriophage Mu . . . . . 1

Saelinger, D. A., Hoffman, J. L. and McConnell, K. P., Biosynthesis of Selenobases in Transfer RNA by *Escherichia coli* . . . . . 9

Caston, J. D. and Jones, P. H., Synthesis and Processing of High Molecular Weight RNA by Nuclei Isolated from Embryos of *Rana pipiens* . . 19

Wilson, J. H. and Kells, S., Bacteriophage T4 Transfer RNA. I. Isolation and Characterization of Two Phage-coded Nonsense Suppressors . . . 39

Wilson, J. H. and Abelson, J. N., Bacteriophage T4 Transfer RNA. II. Mutants of T4 Defective in the Formation of Functional Suppressor Transfer RNA . . . . . 57

Tsernoglou, D., Hill, E. and Banaszak, L. J., Cytoplasmic Malate Dehydrogenase—Heavy Atom Derivatives and Low Resolution Structure . . 75

Baker, R. and Yanofsky, C., Transcription Initiation Frequency and Translational Yield for the Tryptophan Operon of *Escherichia coli* . . 89

Rose, J. K. and Yanofsky, C., Metabolic Regulation of the Tryptophan Operon of *Escherichia coli*: Repressor-independent Regulation of Transcription Initiation Frequency . . . . . 103

Zusman, D. R., Inouye, M. and Pardee, A. B., Cell Division in *Escherichia coli*: Evidence for Regulation of Septation by Effector Molecules . . . 119

Blow, D. M., Wright, C. S., Kukla, D., Rühlmann, A., Steigemann, W. and Huber, R., A Model for the Association of Bovine Pancreatic Trypsin Inhibitor with Chymotrypsin and Trypsin . . . . . 137

Letters to the Editor—

Tsong, T. Y. and Baldwin, R. L., Kinetic Evidence for Intermediate States in the Unfolding of Chymotrypsinogen A . . . . . 145

Tsong, T. Y. and Baldwin, R. L., Kinetic Evidence for Intermediate States in the Unfolding of Ribonuclease A. II. Kinetics of Exposure to Solvent of a Specific Dinitrophenyl Group . . . . . 149

Beckwith, J., Grodzicker, T. and Arditti, R., Evidence for Two Sites in the *lac* Promoter Region . . . . . 155

Erratum . . . . . 161

NUMBER 2, 21 AUGUST 1972

SMITH, C. A. and VINOGRAD, J., Small Polydisperse Circular DNA of HeLa Cells 163

HARFORD, A. G. and BEER, M., Electron-microscopic Localization of the Binding of *Escherichia coli* RNA Polymerase to T7 DNA *in vitro* . . . 179

RHOADES, M. and RHOADES, E. A., Terminal Repetition in the DNA of Bacteriophage T5 . . . . . 187

PADMANABHAN, R., WU, R. and BODE, V. C., Arrangement of DNA in Lambda Bacteriophage Heads. III. Location and Number of Nucleotides Cleaved from λ DNA by Micrococcal Nuclease Attack on Heads . . . . 201

HORST, J., CONTENT, J., MANDELES, S., FRAENKEL-CONRAT, H. and DUESBERG, P., Distinct Oligonucleotide Patterns of Distinct Influenza Virus RNA's . 209

GOLDSTEIN, R. N., STEFANOVIC, S. and KALLENBACH, N. R., On the Conformation of Transfer RNA in Solution: Dependence of Denaturation Temperature and Structural Parameters of Mixed and Formylmethionyl *Escherichia coli* Transfer RNA on Sodium Ion Concentration . . . . . 217

O'SULLIVAN, M. A. and SUEOKA, N., Membrane Attachment of the Replication Origins of a Multifork (Dichotomous) Chromosome in *Bacillus subtilis* . 237

BARNABAS, J., GOODMAN, M. and MOORE, G. W., Descent of Mammalian Alpha Globin Chain Sequences investigated by the Maximum Parsimony Method 249

GUPTA, R. S. and SINGH, U. N., Biogenesis of Ribosomes: Free Ribosomal Protein Pools in *Escherichia coli* . . . . . 279

LETTERS TO THE EDITOR—

TOMITA, S., MAEDA, N., ENOKI, Y. and OKUDA, T., An Evidence for Dissociation of Haemoglobin into Monomer in Concentrated Potassium Iodide . . . . . 303

JACKSON, E. N. and YANOFSKY, C., Internal Promoter of the Tryptophan Operon of *Escherichia coli* is Located in a Structural Gene . . 307

EPP, O., PALM, W., FEHLHAMMER, H., RÜHLMANN, A., STEIGEMANN, W., SCHWAGER, P. and HUBER, R., Crystallographic Evidence for Structurally Similar Domains in the Human κ-type Bence-Jones Protein Rei . . . . . 315

NUMBER 3, 28 AUGUST 1972

MÜLLER-WECKER, H., GEIDER, K. and HOFFMANN-BERLING, H., DNA Synthesis in Nucleotide-permeable *Escherichia coli* Cells. IV. Mode of φX174 Replicative Form DNA Synthesis and the Template involved . . . . 319

GEIDER, K., LECHNER, H. and HOFFMANN-BERLING, H., DNA Synthesis in Nucleotide-permeable *Escherichia coli* Cells. V. Structure of Newly Synthesized $\phi$X174 Replicative Form DNA . . . . . 333

ANDERSON, K. W. and SMITH, J. D., Still More Mutant Tyrosine Transfer Ribonucleic Acids . . . . . 349

KAUFMANN, Y. and ZAMIR, A., Aminoacyl-transfer RNA Binding to Active 30 s Subunits: Effect of 50 s Subunits and a New Role for Elongation Factor T . . . . . 357

DELOVITCH, T. L., DAVIS, B. K., HOLME, G. and SEHON, A. H., Isolation of Messenger-like RNA from Immunochemically Separated Polyribosomes . 373

YAMAMOTO, M., ENDO, H. and KUWANO, M., A Temperature-sensitive Mutation in *Escherichia coli* Transfer RNA. . . . . 387

JOBE, A. and BOURGEOIS, S., *lac* Repressor–Operator Interaction. VI. The Natural Inducer of the *lac* Operon . . . . . 397

FREEDMAN, R. and BRENNER, S., Hybrid T4 $r_{II}$B Cistrons Created by Genetic Duplications . . . . . 409

GORJUNOV, A. I., ANDREEVA, N. S., BARANOWSKI, T. and WOLNY, M., Molecular Symmetry of Human Glyceraldehyde 3-Phosphate Dehydrogenase and its Transformation during Coenzyme Binding . . . . . 421

RECHLER, M. M., BRUNI, C. B., MARTIN, R. G. and TERRY, W., An Intercistronic Region in the Histidine Operon of *Salmonella typhimurium* . 427

# Index to Volume 69


Abelson, J. (see also Daniell, E.), 1
Abelson, J. N. (see also Wilson, J. H.), 57
Aminoacyl-tRNA binding to active 30 s subunits, effect of 50 s subunits and a new role for elongation factor T, 357
Anderson, K. W. & Smith, J. D., Still more mutant tyrosine tRNA's, 349
Andreeva, N. S. (see also Gorjunor, A. I.), 421
Architti, R. (see also Beckwith, J.), 155

*Bacillus subtilis*, membrane attachment of the replication origins of a multifork (dichotomous) chromosome, 237
Bacteriophage, hybrid T4$r_{II}$ $\beta$ cistrons created by genetic duplications, 409
— $\lambda$, location and number of nucleotides cleaved by micrococcal nuclease attack on the heads, 201
— mu, lactose operon mutations, 1
— $\phi$X174, model of replicative form DNA synthesis and the template involved in nucleotide-permeable *Escherichia coli* cells, 319
— — structure of newly synthesized replicative form DNA in nucleotide-permeable *Escherichia coli* cells, 333
— T4 mutants defective in the formation of functional suppressor tRNA, 57
— — tRNA, isolation and characterization of two phage-coded nonsense suppressors, 39
— T5 DNA, terminal repetition, 187
— T7 DNA, electron-microscopic localization of the binding of *Escherichia coli* RNA polymerase *in vitro*, 179
Baker, R. & Yanofsky, C., Transcription initiation frequency and translational yield for the tryptophan operon of *Escherichia coli*, 89
Baldwin, R. L. (see also Tsong, T. Y.), 145, 149
Banaszak, L. J. (see also Tsernoglou, D.), 75
Baranowski, T. (see also Gorjunor, A. I.), 421
Barnabas, J., Goodman, M. & Moore, G. W., Descent of mammalian alpha globulin chain sequences investigated by the maximum parsimony method, 249
Beckwith, J., Grodzicker, T. & Architti, R., Evidence for two sites in the *lac* promotor region, 155
Beer, M. (see also Harford, A. G.), 179
Bence-Jones protein Rei, human $\kappa$-type, crystallographic evidence for structurally similar domains, 315
Blow, D. M., Wright, C. S., Kukla, D., Ruhlmann, A., Steigemann, W. & Huber, R., A model for the association of bovine pancreatic trypsin inhibitor with chymotrypsin and trypsin, 137
Bode, V. C. (see also Padmanabhan, R.), 201
Bourgeois, S. (see also Jobe, A.), 397
Bovine pancreatic trypsin inhibitor, model for its association with chymotrypsin and trypsin, 137
Brenner, S. (see also Freedman, R.), 409
Bruni, C. B. (see also Rechler, M. M.), 427

Caston, J. D. & Jones, P. H., Synthesis and processing of high molecular weight RNA by nuclei isolated from embryos of *Rana pipiens*, 19
Chymotrypsin, model for its association with pancreatic trypsin inhibitor, 137
Chymotrypsinogen A, kinetic evidence for intermediate states in its unfolding, 145
Circular DNA of HeLa cells, small and polydisperse, 163
Cistrons, hybrid T4$r_{II}$ $\beta$ created by genetic duplications, 409
Coenzyme binding to human glyceraldehyde 3-phosphate dehydrogenase, molecular symmetry and its transformation during binding, 421
Content, J. (see also Horst, J.), 209
Crystallographic evidence for structurally similar domains in the human $\kappa$-type Bence-Jones protein Rei, 315
Cytoplasmic malate dehydrogenase–heavy atom derivatives and low resolution structure, 75

Daniell, E., Roberts, R. & Abelson, J., Mutations in the lactose operon caused by bacteriophage $\mu$, 1
Davis, B. K. (see also Delovitch, T. L.), 373
Dehydrogenase for glyceraldehyde 3-phosphate, human, molecular symmetry and its transformation during coenzyme binding, 421
— malate, cytoplasmic, heavy atom derivatives and low resolution structure, 75
Delovitch, T. L., Davis, B. K., Holme, G. & Sehon, A. H., Isolation of messenger-like RNA from immunochemically separated polyribosomes, 373
Deoxyribonucleic acid, model of $\phi$X174 replicative form DNA synthesis and the template involved in nucleotide-permeable *Escherichia coli* cells, 319
— — of bacteriophage T5, terminal repetition, 187
— — — — T7, electron-microscopic localization of the binding of *Escherichia coli* RNA polymerase *in vitro*, 179
— — small polydisperse circular DNA of HeLa cells, 163
— —, structure of newly synthesized $\phi$X174 replicative form DNA in nucleotide-permeable *Escherichia coli* cells, 333
Dichotomous chromosome in *Bacillus subtilis*, membrane attachment of replication origins, 237
Dinitrophenyl, kinetics of exposure of ribonuclease A to a specific dinitrophenyl group, evidence for intermediate states in the unfolding of the molecule, 149
Duesberg, P. (see also Horst, J.), 209

Electron-microscopic localization of the binding of *Escherichia coli* RNA polymerase to T7 DNA *in vitro*, 179
Elongation factor T, a new role in aminoacyl tRNA binding to active 30 s subunits, 357
Embryo nuclei of *Rana pipiens*, synthesis and processing of high molecular weight RNA, 19
Endo, H. (see also Yamamoto, M.), 387
Enoki, Y. (see also Tomita, S.), 303
Epp, O., Palm, W., Fehlhammer, H., Rühlmann, A., Steigmann, W., Schwager, P. & Huber, R., Crystallographic evidence for structurally similar domains in the human $\kappa$-type Bence-Jones protein Rei, 315
*Escherichia coli*, biosynthesis of selenobases in tRNA, 9
— — cell division, evidence for regulation of septation by effector molecules, 119
— —, free ribosomal protein pools, 279
— —, internal promoter of the tryptophan operon located in a structural gene, 307
— —, nucleotide-permeable cells, structure of newly snythesized $\phi$X174 replicative form DNA, 333
— — RNA polymerase binding to T7 DNA *in vitro*, electron-microscopic localization, 179
— — RNA's, mixed and formyl methionyl, dependence of denaturation temperature and structural parameters on sodium ion concentration, 217
— — tRNA, temperature-sensitive mutation, 387
— —, transcription initiation frequency and translational yield for the tryptophan operon, 89
— — tryptophan operon, repressor-independent regulation of transcription initiation frequency, 103

Fehlhammer, H. (see also Epp, O.), 315
Formyl methionyl tRNA of *Escherichia coli*, dependence of denaturation temperature and structural parameters on sodium ion concentration, 217
Fraenkel-Conrat, H. (see also Horst, J.), 209
Freedman, R. & Brenner, S., Hybrid T4$r_{II}\beta$ cistrons created by genetic duplications, 409

Geider, K. (see also Muller-Wecker, H.), 319
—, Lechner, H. & Hoffmann-Berling, H., Deoxyribonucleic acid synthesis in nucleotide-permeable *Escherichia coli* cells. V. Structure of newly synthesized $\phi$X174 replicative form DNA, 333
Globin, mammalian alpha, chain sequence descent investigated by the maximum parsimony method, 249
Glyceraldehyde 3-phosphate dehydrogenase, human, molecular symmetry and its transformation during coenzyme binding, 421
Goldstein, R. N., Stefanovic, S. & Kallenbach, N. R., On the conformation of transfer RNA in solution: dependence of denaturation temperature and structural parameters of mixed and formyl methionyl *Escherichia coli* transfer RNA on sodium ion concentration, 217

Goodman, M. (see also Barnabas, J.), 249
Gorjunor, A. I., Andreeva, N. S., Baranowski, T. & Wolny, H., Molecular symmetry of human glyceraldehyde 3-phosphate dehydrogenase and its transformation during coenzyme binding, 421
Grodzicker, T. (see also Beckwith, J.), 155
Gupta, R. S. & Singh, V. N., Biogenesis of ribosomes: free ribosomal protein pools in *Escherichia coli*, 279

Haemoglobin, dissociation into monomer in concentrated potassium iodide, 303
Harford, A. G. & Beer, M., Electron-microscopic localization of the binding of *Escherichia coli* RNA polymerase to T7 DNA *in vitro*, 179
Heavy-atom derivatives of cytoplasmic malate dehydrogenase and low-resolution structure, 75
HeLa cells, small polydisperse circular DNA, 163
Hill, E. (see also Tsernoglou, D.), 75
Histidine operon of *Salmonella typhimurium*, intercistronic region, 427
Hoffman, J. L. (see also Saelinger, D. A.), 9
Hoffman-Berling, H. (see also Geider, K.), 333
— (see also Müller-Wecker, H.), 319
Holme, G. (see also Delovitch, T. L.), 373
Horst, J., Content, J., Mandeles, S., Fraenkel-Conrat, H. & Duesberg, P., Distinct oligonucleotide patterns of distinct influenza virus RNA's, 209
Huber, R. (see also Blow, D. M.), 137
— (see also Epp, O.), 315
Human glyceraldehyde 3-phosphate dehydrogenase, molecular symmetry and its transformation during coenzyme binding, 421
— κ-type Bence-Jones protein Rei, crystallographic evidence for structurally similar domains, 315

Influenza virus RNA's, distinct oligonucleotide patterns, 209
Inouye, M. (see also Zusman, D. R.), 119
Intercistronic region in the histidine operon of *Salmonella typhimurium*, 427

Jackson, E. N. & Yanofsky, C., Internal promoter of the tryptophan operon of *Escherichia coli* is located in a structural gene, 307
Jobe, A. & Bourgeois, S., *lac* repressor–operator interaction. VI. The natural inducer of the *lac* operon, 397
Jones, P. H. (see also Caston, J. D.), 19

κ-type Bence-Jones protein Rei, human, crystallographic evidence for structurally similar domains, 315
Kallenbach, N. R. (see also Goldstein, R. N.), 217
Kaufmann, Y. & Zamir, A., Aminoacyl-tRNA binding to active 30 s subunits: effect of the 50 s subunits and a new role for elongation factor T, 357
Keels, S. (see also Wilson, J. H.), 39
Kinetic evidence for intermediate states in the unfolding of chymotrypsinogen A, 145
— — — — — — — — — — ribonuclease A, kinetics of exposure to solvent of a specific dinitrophenyl group, 149
Kukla, D. (see also Blow, D. M.), 137
Kuwano, M. (see also Yamamoto, M.), 387

λ (see Bacteriophage)
*lac* operon, natural inducer, 397
— promoter region, evidence for two sites, 155
Lactose operon mutations caused by bacteriophage mu, 1
Lechner, H. (see also Geider, K.), 333

McConnell, K. P. (see also Saelinger, D. A.), 9
Maeda, N. (see also Tomita, S.), 303
Malate dehydrogenase, cytoplasmic, heavy-atom derivatives and low-resolution structure, 75

Mammalian alpha globin chain sequence descent investigated by the maximum parsimony method, 249
MANDELES, S. (see also HORST, J.), 209
MARTIN, R. G. (see also RECHLER, M. M.), 427
Maximum parsimony method used to investigate the descent of mammalian aplha globin chain sequences, 249
Membrane attachment of the replication origins of a multifork (dichotomous) chromosome in *Bacillus subtilis*, 237
Messenger-like RNA isolated from immunochemically separated polyribosomes, 373
Micrococcal nuclease attack on the heads of bacteriophage λ, location and number of nucleotides cleaved, 201
Molecular symmetry of human glyceraldehyde 3-phosphate dehydrogenase and its transformation during coenzyme binding, 421
MOORE, G. W. (see also BARNABAS, J.), 249
Mu (see Bacteriophage), 1
MÜLLER-WECKER, H., GEIDER, K. & HOFFMANN-BERLING, H., Deoxyribonucleic acid synthesis in nucleotide-permeable *Escherichia coli*. IV. Model of φX174 replicative DNA synthesis and the template involved, 319

Nonsense suppressors, phage-coded, two from bacteriophage T4 isolated and characterized, 39
Nucleotide-permeable *Escherichia coli* cells, model of φX174 replicative form DNA synthesis and the template involved, 319
— — — — —, structure of newly synthesized φX174 replicative form DNA, 333
Nucleotides cleaved by micrococcal nuclease attack on the heads of bacteriophage λ, location and number, 201

OKUDA, T. (see also TOMITA, S.), 303
Oligonucleotides, distinct patterns of distinct influenza virus RNA's, 209
O'SULLIVAN, M. A. & SUEOKA, N., Membrane attachment of the replication origins of a multifork (dichotomous) chromosome in *Bacillus subtilis*, 237

φX174 (see Bacteriophage)
PADMANABHAN, R., WU, R. & BODE, V. C., Arrangement of DNA in lambda bacteriophage heads. III. Location and number of nucleotides cleaved from λ DNA by micrococcal nuclease attack on the heads, 201
PALM, W. (see also EPP, O.), 315
Pancreatic trypsin inhibitor, bovine, model for its association with chymotrypsin and trypsin, 137
PARDEE, A. B. (see also ZUSMAN, D. R.), 119
Polymerase for RNA of *Escherichia coli*, binding to T7 DNA *in vitro*, electron-microscopic localization, 179
Polyribosomes, immunochemically separated, messenger-like RNA isolated, 373
Potassium iodide, concentrated solution, evidence for dissociation of haemoglobin into monomer, 303
Promoter, internal, of the tryptophan operon of *Escherichia coli* is located in a structural gene, 307
Promoter region, *lac*, evidence for two sites, 155

*Rana pipiens* embryo nuclei, synthesis and processing of high molecular weight RNA, 19
RECHLER, M. M., BRUNI, C. B., MARTIN, R. G. & TERRY, W., An intercistronic region in the histidine operon of *Salmonella typhimurium*, 427
Rei (see Bence-Jones protein), 315
Replication origins of a multifork (dichotomous) chromosome in *Bacillus subtilis*, membrane attachment, 237
Repressor-independent regulation of transcription initiation frequency of the tryptophan operon in *Escherichia coli*, 103
— -operator interaction, the natural inducer of the *lac* operon, 397
RHOADES, E. A. (see also RHOADES, M.), 187
RHOADES, M. & RHOADES, E. A., Terminal repetition in the DNA of bacteriophage T5, 187
Ribonuclease A, evidence for intermediate states in its unfolding, kinetics of exposure to solvent of a specific dinitrophenyl group, 149

Ribonucleic acid, aminoacyl transfer, binding to active 30 s subunits, effect of 50 s subunits and a new role for elongation factor T, 357
— —, high molecular weight, synthesis and processing by nuclei isolated from embryos of *Rana pipiens*, 19
— —, messenger-like, isolated from immunochemically separated polyribosomes, 373
— — polymerase of *Escherichia coli*, binding to T7 DNA *in vitro*, electron-microscopic localization, 179
— —, transfer, biosynthesis of selenobases by *Escherichia coli*, 9
— —, —, mutants of bacteriophage T4 defective in the formation of functional suppressor, 57
— —, — of bacteriophage T4, isolation and characterization of two phage-coded nonsense suppressors, 39
— —, — — *Escherichia coli*, temperature-sensitive mutation, 387
— acids, distinct oligonucleotide patterns of distinct influenza virus RNA's, 209
— —, transfer for tyrosine, more mutants, 349
— —, — of *Escherichia coli*, mixed and formyl methionyl, dependence of denaturation temperature and structural parameters on sodium ion concentration, 217
Ribosomal protein pools free in *Escherichia coli*, 279
Roberts, R. (see also Daniell, E.), 1
Rose, J. K. & Yanofsky, C., Metabolic regulation of the tryptophan operon of *Escherichia coli*: repressor-independent regulation of transcription initiation frequency, 103
Ruhlmann, A. (see also Blow, D. M.), 137
— (see also Epp, O.), 315

Saelinger, D. A., Hoffman, L. J. & McConnell, K. P., Biosynthesis of selenobases in tRNA by *Escherichia coli*, 9
*Salmonella typhimurium*, intercistronic region in the histidine operon, 427
Schwager, P. (see also Epp, O.), 315
Sehon, A. H. (see also Delovitch, T. L.), 373
Selenobase biosynthesis in tRNA by *Escherichia coli*, 9
Septation regulation by effector molecules in *Escherichia coli*, 119
Singh, V. N. (see also Gupta, R. S.), 279
Smith, C. A. & Vinograd, J., Small polydisperse circular DNA of HeLa cells, 163
Smith, J. D. (see also Anderson, K. W.), 349
Sodium ion concentration effect on dependence of denaturation temperature and structural parameters of mixed and formyl methionyl *Escherichia coli* tRNA, 217
Stefanovic, S. (see also Goldstein, R. N.), 217
Steigemann, W. (see also Blow, D. M.), 137
— (see also Epp, O.), 315
Suppressor, bacteriophage T4 mutants defective in the formation of functional suppressor tRNA, 57

T4 (see Bacteriophage), 39, 57
T5 (see Bacteriophage), 187
T7 (see Bacteriophage), 179
Terry, W. (see also Rechler, M. M.), 427
Tomita, S., Maeda, N., Enoki, Y. & Okuda, T., An evidence for dissociation of haemoglobin into monomer in concentrated potassium iodide, 303
Transcription initation frequency and translational yield for the tryptophan operon of *Escherichia coli*, 89
— — — of the tryptophan operon in *Escherichia coli*, repressor-independent regulation, 103
Transfer RNA, aminoacyl, binding to active 30 s subunits, effect of 50 s subunits and a new role for elongation factor T, 357
— —, biosynthesis of selenobases by *Escherichia coli*, 9
— —, mutants of bacteriophage T4 defective in formation of functional suppressor, 57
— — — bacteriophage T4, isolation and characterization of two phage-coded nonsense suppressors, 39
— — — *Escherichia coli*, temperature-sensitive mutation, 387
— RNA's for tyrosine, more mutants, 349
— — of *Escherichia coli*, mixed and formylmethionyl, dependence of denaturation temperature and structural parameters on sodium ion concentration, 217
Trypsin, model for its association with pancreatic trypsin inhibitor, 137

Tryptophan operon of *Escherichia coli*, internal, promoterlocated in a structural gene, 307
— — — — —, repressor-independent regulation of transcription initiation frequency, 103
— — — — —, translation transcription initiation frequency and translational yield, 89
Tsernoglou, D., Hill, E. & Banasazak, L. T., Cytoplasmic malate dehydrogenase–heavy atom derivatives and low resolution structure, 75
Tsong, T. Y. & Baldwin, R. L., Kinetic evidence for intermediate states in the unfolding of chymotrypsinogen A, 145
— — —, Kinetic evidence for intermediate states in the unfolding of ribonuclease A. II. Kinetics of exposure to solvent of a specific dinitrophenyl group, 149
Tyrosine tRNA's, more mutants, 349

Vinograd, J. (see also Smith, C. A.), 163
Virus (see Influenza), 209

Wilson, J. H. & Abelson, J. N., Bacteriophage T4 tRNA. II. Mutants of T4 defective in the formation of functional suppressor tRNA, 57
— & Kells, S., Bacteriophage T4 tRNA. I. Isolation and characterization of the phage-coded nonsense suppressors, 39
Wolny, H. (see also Gorjunor, A. I.), 421
Wright, C. S. (see also Blow, D. M.), 137
Wu, R. (see also Padmanabhan, R.), 201

Yamamoto, M., Endo, H. & Kuwano, M., A temperature-sensitive mutation in *Escherichia coli* tRNA, 387
Yanofsky, C. (see also Baker, R.), 89
— (see also Jackson, E. N.), 307
— (see also Rose, J. K.), 103

Zamir, A. (see also Kaufmann, Y.), 357
Zusman, D. R., Inouye, M. & Pardee, A. B., Cell division in *Escherichia coli*: evidence for regulation of septation by effector molecules, 119